



### Highly configurable

Thanks to its modular concept, the *Invacare Storm<sup>4</sup>* easily adapts to a diverse range of user requirements. The motor type and speed can be selected according to the user's primary requirements for either indoor or outdoor use. A wide range of seat types (including the new *Invacare Easy-Adapt™* Seat) supports different degrees of posture. Seat and back rest width can be varied independently over a large range. The telescopic seat lifter provides an extra-low seat height of 40 cm for better access to tables.

### Easy to deal with

The *Storm<sup>4</sup>* has been developed under the motto "easy to deal with". Seat and back rest widths range from 38 to 53 cm and can be adjusted just with one tool. An integrated scale marking shows the selected width. The batteries are extremely simple to remove and electronics are easily accessed for quick, trouble-free servicing.

### Aesthetic design

The contemporary design of the *Storm<sup>4</sup>* underlines its robust construction and good driving performance. Modern LED lights add to its elegance. The front arms can be coloured with attractive side applications. The shroud comes in

different shades, and all coloured fabrics can be changed easily. Matching seat covers are also available.

The *Storm<sup>4</sup>* certainly lives up to its claim of Simply the best fit!

## Features and Options



#### Low seat height

Low seat to floor height on 40 cm (with seat lifter option): better access under tables or when entering/exiting vehicles.



#### Column lift

The elegant new column lift offers a 25 cm amplitude. Very stable and safe with minimised risk of trapped fingers.



#### New driving unit design

Attractive and modern design. Many shades available for shroud and front arms. Colours can be easily changed.



#### Powerful front arms

New design combined with long rear swing arms give a comfortable ride with consistently good traction and stability.

## Features and Options



### **New ACS II electronics**

Different controller modules offer a seamless economical up-and-down gradability for different user needs.



### **New LED light system**

Attractive design with a strong, bright light for a safe drive.



### **Easy battery access**

Batteries slide out easily for simple servicing. Just open the rear flap gate and pull the batteries out – it could not be easier!



### **Easy access to electronics**

Easy access to all electronics, cabling and harnesses for quick and trouble free service and maintenance.

## Features and Options



### Sliding backrest

This function, for reduced shearing forces, provides comfort. The head rest and chin control follow the user's head in different positions.



### Easy-to-adjust seat plate

The width of the *Invacare Easy-Adapt*<sup>™</sup> Seat plate can be easily adjusted from 38 cm to 53 cm without the need for extra parts. The full depth range is covered with only three set of plates. Only one tool is required for all seat adjustments.



### Easy-to-adjust back rest width

The width of the *Invacare Easy-Adapt* back rest plate can be easily adjusted from 38 to 53 cm. Just one tool is needed for all seat adjustments. Back rest and seat plate are independently adjustable.



### Choice of various Invacare seat cushions

12 different dimensions are available for cushions, with a range of 4 different covers for optimum comfort and style, including *Invacare Easy-Adapt*, *Matrix* and *Onyx*.



### Different seat heights

For models without a seat lifter, 2 different seat heights (45 cm and 48 cm) are available for optimal user fit.



### Scale read on seat

Therapists can easily adjust and read the chosen measurements.



### Following armrest

Following armrest on the *Easy-Adapt* Seat with skirt guard and backrest bag options. The armrest is swivelling-up for easy transfer, it follows the backrest to ensure good access to joystick and keeps an ergonomic, horizontal angle.



### Prepared for third party seats and backs

The new back rest construction enables easy attachment of third party back rests and customized solutions, whereby the sliding function being kept.

**Features and Options**



**Standard Seat**  
Standard seat with foam cushion, complete with tension-adjustable and angle settable backrest for customised user comfort.



**Invacare Easy-Adapt seat extra**  
The design of the cover fabric is highly attractive.



**Invacare Easy-Adapt seat with plush cover**  
Comfortable, breathing active and attractive.



**Onyx Seat**  
The design of Onyx Seat and Backrest Cushion is very attractive. The Onyx cover is weather resistant and easy to clean.



**Tilt**  
Manual or electrical tilt with max. 25 degrees for optimum comfort and posture.



**Posture Back**  
For a stable trunk support.



**Interchangeable coloured shroud**  
The different shroud colours open up a variety of colour combinations!



**Coloured labels**  
The coloured labels on the front arms give a personal aesthetic touch.



**Docking Station**  
The crash tested Dahl Docking Station allows easy and secure attachment of Invacare Storm<sup>4</sup> to a vehicle, even as a driver.



**Tie-downs**  
Four tie-down hooks cater for a safe transportation in a van.

## Technical data

Standard	39 - 62 cm	38 - 53 cm	48 / 54 cm <sup>1</sup>	97 cm	-10°/0°/7,5°/15°/ 22,5°/30° <sup>2</sup>	25 - 34 / 29 - 38 cm	min. 174 kg <sup>3</sup>
Easy-Adapt	39 - 62 cm	38 - 53 cm	65 cm <sup>1</sup>	106 cm	-10°/0°/7,5°/15°/22,5°/30° <sup>2</sup> -5° - 35° powered	25 - 34 / 29 - 38 cm	min. 174 kg <sup>3</sup>
Matrx	39 - 62 cm	38 - 53 cm	50 cm <sup>1</sup>	97 cm	0° - 45°	25 - 34 / 29 - 38 cm	min. 174 kg <sup>3</sup>
Recaro	49 - 53 (36) cm	46 - 51 cm	77 - 83 cm <sup>1</sup>	97 cm		25 - 34 / 29 - 38 cm	min. 174 kg <sup>3</sup>


40 - 65 cm <sup>4</sup> 45 / 48 cm W/O lifter	29 - 47 cm <sup>5</sup>	0° - 25° <sup>10</sup>	63 / 67 cm <sup>6,9</sup> (wheelbase)	119 cm <sup>7</sup>	91 cm	150 kg
70 Ah	177 cm	6 / 10 cm	20% (11.3°)	300 W	6 / 10 km/h	36 km <sup>8</sup>

- 1/ measured from seat plate
- 2/ man. settable
- 3/ varies with configuration
- 4/ ground to seat plate, w/o seat cushion
- 5/ measured from foot plate to seat plate
- 6/ wheelbase 63 cm

- 7/ leg rest at largest angle
- 8/ measurement with a **Storm<sup>4</sup>**, 6 km/h, according to ISO 7176
- 9/ according to drive wheel type
- 10/ powered




## Standard colours



Invacare International Sarl  
Route de Cité-Ouest 2 - 1196 Gland  
Switzerland  
Tel: +41 (0)22 354 60 10  
Fax: +41 (0)22 354 60 11  
hqueurope@invacare.com  
www.invacare.eu.com

## Colour options



© 2010 Invacare® International Sarl  
All rights reserved.

All information quoted is believed to be correct at time of print. Invacare® reserves the right to alter product specifications without prior consultation.

Storm4 - EU - 09/2010



Further options: any RAL colour, with upcharge and longer lead time.

More detailed information, technical data, references for transport or description of certain options can be found in the wheelchair's user manual.

